

Commercial organisations are charged the recommended retail price. If the purchasing organisation is using the equipment for a sport based activity and makes **NO** financial gain from the events or activities for which the equipment is used, **most** of the prices shown below will be discounted by about 15%. Examples of **Not for Profit** organisations are amateur sports clubs, schools and colleges of further education. Organisations based **outside UK/Republic of Ireland** should contact us for pricing information. Prices are subject to change without notice and are affected by currency fluctuations. Carriage/Insurance is charged at cost.

| Hardware Prices as at 01/03/2018 | Recommended Retail Price | | Discounted Price | |
|--|---------------------------------|--------------------|-------------------------|--------------------|
| | £ | £ ExVAT | £ | £ ExVAT |
| SI-Cards - Also View/Purchase Individual SI-Cards online at www.sportident.co.uk | | | | |
| Trade-in an SI-Card or Emit brikke (Credit against an SI-Card purchase in our online shop) | -3.00 | -2.50 | -3.00 | -2.50 |
| SI-ActiveCard incl. Elastic Finger Loop (128 Punches). Contactless and Direct punching. Includes Battery | 73.94 | 61.62 | 62.86 | 52.38 |
| ComCard Pro. Combines an SI-Card 10 chip (128 punches) and a Moscow 2, 3, 8 or 9 Compass | 99.49 | 82.91 | 84.57 | 70.48 |
| ComCard Up. Combines an SI-Card 8 chip (30 punches) and a Moscow 11 Compass | 65.88 | 54.90 | 56.00 | 46.67 |
| SI-Card 10 incl. Elastic Finger Loop (128 Punches. Suitable for use at all major worldwide events) | 56.47 | 47.06 | 48.00 | 40.00 |
| SI-Card 9 incl. Elastic Finger Loop (50 Punches. Suitable for use at all major worldwide events) | 44.36 | 36.97 | 37.71 | 31.43 |
| SI-Card 8 incl. Elastic Finger Loop (30 Punches. Suitable for use at all major worldwide events) | 33.61 | 28.01 | 28.57 | 23.81 |
| SI-pCard - Needs an Attachment (20 punches. 55mm x 55mm x 1mm. Not ideal for competitive events) | 13.44 | 11.20 | 11.43 | 9.52 |
| Yoyo. Attach your SI-Card to the yoyo. Attach the yoyo to your bike or your clothing | 3.83 | 3.19 | 3.26 | 2.71 |
| Keyring. Attach your SI-Card to a Keyring | 0.14 | 0.12 | 0.12 | 0.10 |
| Spare Lanyard which can be attached to your SI-Card or SI-pCard | 1.18 | 0.98 | 1.00 | 0.83 |
| Spare Elastic 14cm Finger Loop for SI-Card 8/9/10/11 - Black (used for orienteering) | 1.98 | 1.65 | 1.69 | 1.41 |
| Spare Elastic 25cm Wristband for all SI-Card - Black (not used for orienteering) | 2.48 | 2.07 | 2.11 | 1.76 |
| Wristband – Tyvek ultra-strong, Tamperproof, one use only. Strip of 10 | 1.20 | 1.00 | 1.20 | 1.00 |
| SI-Card Security Cord | 2.11 | 1.76 | 1.80 | 1.50 |

Hardware Prices as at 01/03/2018

Recommended Retail Price

Discounted Price

£

£
ExVAT

£

£
ExVAT

[See The Online Catalogue](#)

Stations - Clear/Check/Start/Control/Finish

| | | | | |
|--|--------|--------|--------|--------|
| Station BSF7-D (Display Bottom) - Black | 114.29 | 95.24 | 97.14 | 80.95 |
| Station BSF8-DB (Display Bottom) Red | 112.94 | 94.12 | 96.00 | 80.00 |
| Optional Semi-permanent Label (Station Code) for top of BSF8 Station - Black on White background | 0.88 | 0.73 | 0.74 | 0.62 |
| SI-Master BS8DT Blue. Timemaster & BSF8 Station Combined | 174.79 | 145.66 | 148.57 | 123.81 |
| BS11-BL (Beacon Large for touch free punching. Typical use MTB Enduro stage Finish) | 403.36 | 336.13 | 342.86 | 285.71 |
| BS11-BS (Beacon Small for touch free punching. Typical use MTB Enduro stage Start) | 201.68 | 168.07 | 171.43 | 142.86 |

Download/Wired Stations

| | | | | |
|--|--------|--------|--------|--------|
| Master station BSM7-RS232 with 1.5M lead. Stores 1000 SI-Card in Backup Memory and connects to PC - Red. (Not suitable for preparing or reading backup from the old BS3/4/6 stations) | 130.42 | 108.68 | 110.86 | 92.38 |
| Master station BSM7-RS232 with 5M lead. Stores 1000 SI-Card in Backup Memory and connects to PC - Red. (Not suitable for preparing or reading backup from the old BS3/4/6 stations) | 133.10 | 110.92 | 113.14 | 94.29 |
| SPORTident Serial/USB Converter - Allows a BSM7-RS232 Masterstation to be plugged into a USB Port | 38.99 | 32.49 | 33.14 | 27.62 |
| Master station BSM7-USB. Stores 1000 SI-Card in backup memory and connects to PC. (Cannot be used as a radio control or for preparing or reading backup from the old BS3/4/6 stations) | 121.01 | 100.84 | 102.86 | 85.71 |
| Master station BSM8-USB. Stores 1000 SI-Card in backup memory and connects to PC. (Cannot be used as a radio control or for preparing or reading backup from the old BS3/4/6 stations) | 114.29 | 95.24 | 97.14 | 80.95 |
| Station BSF8-SRR-DB (Display Bottom) - Blue or Red | 174.79 | 145.66 | 148.57 | 123.81 |
| SRR USB Dongle | 38.99 | 32.49 | 33.14 | 27.62 |
| Purple SERVICE/OFF Off Card for Activating/switching off stations | 12.44 | 10.37 | 10.58 | 8.82 |
| Coupling Stick for joining a Masterstation & Basestation and enhancing the field between the two | 7.32 | 6.10 | 6.22 | 5.18 |
| Purple Switch On/Off Stick for BS11 Beacons | 12.44 | 10.37 | 10.58 | 8.82 |
| Purple Clear Backup Card for clearing the memory in Masterstations and Basestations | 12.44 | 10.37 | 10.58 | 8.82 |

Starter/Full Training Sets - Can be used without a computer

| | | | | |
|--|---------|---------|---------|---------|
| Starter Set - 20 SI-pCard, 3 BSF8 Stations (CLEAR/SI-Master, START, FINISH station), AP1310 Printer Set, Coupling Stick | 1241.42 | 1034.52 | 1055.33 | 879.34 |
| Full Set - 20 SI-Card 8, 13 BSF8 Stations (CLEAR/SI-Master, START, 10 Control, FINISH station), AP1310 Printer Set, Coupling Stick | 2750.72 | 2292.27 | 2338.12 | 1948.43 |
| Full Set - 20 SI-Card 9, 13 BSF8 Stations (CLEAR/SI-Master, START, 10 Control, FINISH station), AP1310 Printer Set, Coupling Stick | 2993.17 | 2494.31 | 2544.19 | 2120.16 |
| Full Set - 20 SI-Card 8, 13 BSF7 Stations (CLEAR/SI-Master, START, 10 Control, FINISH station), AP1310 Printer Set, Coupling Stick | 2742.56 | 2285.47 | 2331.18 | 1942.65 |
| Full Set - 20 SI-Card 9, 13 BSF7 Stations (CLEAR/SI-Master, START, 10 Control, FINISH station), AP1310 Printer Set, Coupling Stick | 2986.07 | 2488.39 | 2538.16 | 2115.13 |

| | | | | |
|--|--------|--------|--------|--------|
| Printer Set - includes Able AP1310 Thermal Printer & Printout Station (see below) with gender changer allowing attachment to a computer, Serial/USB Converter, Service/OFF Card, Clear Backup Card, Start Card, Print Results Card, carry case 340x275x83mm | 811.92 | 676.60 | 690.13 | 575.11 |
| Able AP1310 Thermal Printer - includes Internal Short life rechargeable battery & AC Adapter, RS232 lead ,rolls paper. Fully charged battery prints at least 150 splits prints | 348.61 | 290.51 | 296.32 | 246.93 |
| Printout Station BSM7-P RS232. Used with AP1310, MCP7830, GPT-4378 & DPU-3445 printers. Also as a Masterstation with a PC | 340.33 | 283.61 | 289.28 | 241.07 |
| Printout Station -> Computer Gender Changer & Null Modem Mini Connector | 5.29 | 4.41 | 4.50 | 3.75 |
| Purple START Card. Sets a mass start time (no-punch) in a Printout Station for the next SI-Cards | 12.44 | 10.37 | 10.58 | 8.82 |
| Purple PRINT RESULTS Card for printing results from a Printout Station | 12.44 | 10.37 | 10.58 | 8.82 |

Hardware Prices as at 01/03/2018

| | Recommended Retail Price | | Discounted Price | |
|--|--------------------------|---------|------------------|---------|
| | £ | £ ExVAT | £ | £ ExVAT |
| Fast Thermal Printers & Paper Rolls - Prices Include Installation Support | | | | |
| Epson TM-T88V USB Thermal 80mm Split time Printer. <i>Amazingly fast</i> Point of Sale Printer | 262.80 | 219.00 | 262.80 | 219.00 |
| Epson TM USB Interface Board. Changes Printer from a Parallel to USB device | 79.68 | 66.40 | 79.68 | 66.40 |
| Parallel Port -> USB Conversion lead | 24.79 | 20.66 | 24.79 | 20.66 |
| Thermal Printer Paper Roll 80mm width x 80mm diameter for Epson/Citizen/Star POS printers | 2.64 | 2.20 | 2.64 | 2.20 |
| Thermal Printer Paper Roll 57.5mm width x 31mm diameter for GeBe GPT-4378 printer | 1.08 | 0.90 | 1.08 | 0.90 |
| Thermal Printer Paper Roll 57.5mm width x 46mm diameter for Able AP1310 and Martel MCP7830 printer | 1.15 | 0.96 | 1.15 | 0.96 |
| Accessories | | | | |
| 2.5MM Allen Key for removing plastic bottom plate of a BS7/11 station | 2.47 | 2.06 | 2.10 | 1.75 |
| 1.5MM Allen Key for removing metal bottom plate of a BS8 station | 2.47 | 2.06 | 2.10 | 1.75 |
| 2.5MM hex bit for electric screwdriver/drill to remove plastic bottom plate on a BS7/11 station | 2.47 | 2.06 | 2.10 | 1.75 |
| Replacement rubber Ring (set of 2) for sealing between base and cover on a BS7 Station | 2.72 | 2.27 | 2.32 | 1.93 |
| Replacement Nut for attaching cover to base of BS7 station | 0.13 | 0.11 | 0.11 | 0.09 |
| Replacement Bolt for attaching cover to base of BS7 station | 0.13 | 0.11 | 0.11 | 0.09 |
| Station Box BS7 Transparent, including bottom plate | 6.41 | 5.34 | 5.45 | 4.54 |
| Station Box BS8 Blue or Red, including bottom plate | 5.99 | 4.99 | 5.09 | 4.24 |
| Shielding foil BS7 in Black, Red or Red/Blue | 2.10 | 1.75 | 1.79 | 1.49 |
| Power Supply Unit for UK use in MCP7830 Printer Set, Special Start/Finish | 18.22 | 15.18 | 15.48 | 12.90 |
| Power Inverter 300 Watt. Converts 12V DC from Car/Leisure Battery to Mains 240 Volt. | 69.43 | 57.86 | 69.43 | 57.86 |
| 6 Port USB Charger & USB Leads | 62.11 | 51.76 | 52.80 | 44.00 |
| BS7 Metal Bottom Plate – security plate allows a base station to be securely wired to an immovable object | 6.16 | 5.13 | 6.16 | 5.13 |
| BS8 Fitted Metal Bottom Security Plate 1 – Allows a base station to be securely wired to an immovable object | 8.26 | 6.88 | 8.26 | 6.88 |
| BS8 Fitted Metal Bottom Security Plate 2 – As for Plate 1 but unit can be seated in a BSF7 holder on a stake | 8.26 | 6.88 | 8.26 | 6.88 |
| Wire Strop for securing Bottom Plate 3MM diameter x 1Metre length. With plastic end caps | 2.87 | 2.39 | 2.87 | 2.39 |
| Wire Rope Grips for 3 - 5 MM diameter strop with 8MM Nut. Creates a reasonably secure loop in the wire | 1.60 | 1.33 | 1.60 | 1.33 |
| 8MM Combination Spanner for tightening/loosening a wire rope grip with 8mm nut | 5.04 | 4.20 | 5.04 | 4.20 |
| BS8 Station Metal Plate and two tamper proof bolts that secure a station permanently to an immovable object | 12.30 | 10.25 | 10.45 | 8.71 |
| Lightweight hardened alloy 'L' stake, drilled so that plastic station holder and pin punch may be attached. Wt 400gm excl. Holder, height 75cm above ground | 14.11 | 11.76 | 12.00 | 10.00 |
| Glass Fibre stake (yellow). Station holder can be attached. Wt. 100gm excl holder, height 68cm above ground. One sliding clip on shaft. Pin punch needs to hang on a cord from stake | 16.94 | 14.12 | 14.40 | 12.00 |
| Extra Plastic sliding clip for shaft of glass fibre stake | 1.78 | 1.48 | 1.51 | 1.26 |
| Plastic Narrow Mounting for BS7 Station with no bolt/screw holes | 2.63 | 2.19 | 2.23 | 1.86 |
| Plastic Narrow Mounting for BS8 Station with no bolt/screw holes. Snaps into BS3/4/6/7 Plastic Narrow Mounting | 2.63 | 2.19 | 2.23 | 1.86 |
| Plastic Holder for BS7 Station with two bolt/screw holes. Attaches to stake or structure | 4.42 | 3.68 | 3.75 | 3.13 |
| Plastic Holder for BS8 Station with two bolt/screw holes. Attaches to stake or structure | 3.66 | 3.05 | 3.11 | 2.60 |
| Plastic Holder for BS8 Station with two bolt/screw holes. Snaps into Plastic Holder for BS3/4/6/7. Also attaches to stake or structure | 5.27 | 4.39 | 4.48 | 3.73 |
| Orienteering Kite - Superior Reinforced Mesh with strong wire frame, 30cm x 30cm | 7.67 | 6.39 | 6.51 | 5.43 |
| Orienteering Kite - Superior Reinforced Mesh with strong wire frame, 15cm x 15cm | 6.05 | 5.04 | 5.14 | 4.29 |
| Pin punch to attach to stake | 4.34 | 3.62 | 3.70 | 3.08 |
| Set of 4 Lightweight Cones 45cm with velcro tape for top. BSF8 Stations are attached for gymnasium use | 37.12 | 30.93 | 31.55 | 26.29 |
| Carrying Vest for 16 BSF7 SPORTident Stations (not suitable for BSF8) | 35.29 | 29.41 | 30.00 | 25.00 |
| Carrying Belt for 8 BSF7 SPORTident Stations (not suitable for BSF8) | 24.00 | 20.00 | 20.40 | 17.00 |
| Grey Carry Case Small (391x304x104mm) - Includes Liner. Holds approx. 20 BSF7 or 50 BSF8 Basestations loose | 28.91 | 24.09 | 24.57 | 20.47 |
| Foam Insert for Grey Carry Case Small (391x304x104mm) - Holds 60 SI-Cards | 16.24 | 13.53 | 13.80 | 11.50 |
| Foam Insert for Grey Carry Case Small (391x304x104mm) - 18 BSF8 | 17.58 | 14.65 | 14.94 | 12.45 |
| Foam Insert for Grey Carry Case Small (391x304x104mm) - School & Training Set | 17.58 | 14.65 | 14.94 | 12.45 |
| Grey Carry Case Medium (575x470x270mm) - Includes Foam Station Insert | 106.22 | 88.52 | 90.29 | 75.24 |

Hardware Prices as at 01/03/2018

| | Recommended Retail Price | | Discounted Price | |
|---|--------------------------|------------|------------------|------------|
| | £ | £ ExVAT | £ | £ ExVAT |
| Hire of Equipment & Optional Prep of Stations/SI-Cards. Minimum Hire Charge Excl. Losses/Carriage £50+VAT | | | | |
| AutoDownload Software Single Day Licence - Available on expiry of a previously purchased licence | 50.64 | 42.20 | 42.00 | 35.00 |
| Laptop with AutoDownload & Thermal Printer Drivers pre-loaded. Single Day Use | 48.00 | 40.00 | 48.00 | 40.00 |
| Training Set - 20 SI-Card 8, 13 BSF8 Stations (Clear/SI-Master, Start, 10 Control, Finish station), Printout Station/Printer Set | 132.00 | 110.00 | 132.00 | 110.00 |
| SI-Card 8 One Day use. Click For Significant Discounts If ALSO Using SiEntries and/or AutoDownload | 2.29 | 1.91 | 2.29 | 1.91 |
| SI-pCard One Day use. Click For Significant Discounts If ALSO Using SiEntries and/or AutoDownload | 2.29 | 1.91 | 2.29 | 1.91 |
| SI-Card 5 One Day use. Click For Significant Discounts If ALSO Using SiEntries and/or AutoDownload | 2.29 | 1.91 | 2.29 | 1.91 |
| SI-Card 9 One Day use. Click For Significant Discounts If ALSO Using SiEntries and/or AutoDownload | 2.93 | 2.44 | 2.93 | 2.44 |
| SI-Card 6 One Day use. Click For Significant Discounts If ALSO Using SiEntries and/or AutoDownload | 3.54 | 2.95 | 3.54 | 2.95 |
| SI-AC One Day use. Click For Significant Discounts If ALSO Using SiEntries and/or AutoDownload | 4.32 | 3.60 | 4.32 | 3.60 |
| Elastic 14cm Finger loop (washed). Used mainly for orienteering events | 0.12 | 0.10 | 0.12 | 0.10 |
| Elastic 25cm Wristband (washed). Used mainly for non-orienteering events | 0.12 | 0.10 | 0.12 | 0.10 |
| Tyvek one use wristband, tamperproof. Used mainly for non-orienteering events | 0.12 | 0.10 | 0.12 | 0.10 |
| Lanyard which can be worn round the neck and attached to your SI-Card or SI-pCard | 0.12 | 0.10 | 0.12 | 0.10 |
| Optional Additional Service - Each SI-Card is Provided CLEARed & CHECKed | 0.05 | 0.04 | 0.05 | 0.04 |
| Optional Additional Service - Each SI-Card has a one-use wriststrap attached. Strap must be purchased separately | 0.10 | 0.08 | 0.10 | 0.08 |
| Optional Additional Service - Numbering SI-Card Straps (not usually necessary) | 0.04 | 0.03 | 0.04 | 0.03 |
| Control Station (BSF7 or BSF8) daily use | 6.00 | 5.00 | 4.80 | 4.00 |
| Beacon Station Small (BS11-BS Blue) daily use | 11.38 | 9.48 | 9.10 | 7.58 |
| Beacon Station Large (BS11-BL Large) daily use | 22.72 | 18.93 | 18.17 | 15.14 |
| Masterstation (BSM7-RS232 or BSM7-USB) daily use | 6.60 | 5.50 | 5.40 | 4.50 |
| Control and Masterstation Station Optional Preparation - Programme and Label | 0.48 | 0.40 | 0.48 | 0.40 |
| Metal Bottom Plate Attached to BSF7 Station | 1.08 | 0.90 | 1.08 | 0.90 |
| Wire Strop for securing Bottom Plate & Rope Grip. 8MM Spanners included if required | 0.84 | 0.70 | 0.84 | 0.70 |
| Lightweight hardened alloy 'L' stake or Yellow Fibre Stake with plate to Hold a Control Station | 2.33 | 1.94 | 2.33 | 1.94 |
| 36mm Semi-Permanent Label suitable for the period of a hire, displaying a Control Code. Attaches to each side of the angle plate of a metal stake or the top of a station | 0.50 | 0.42 | 0.50 | 0.42 |
| Orienteering Kite - Nylon, 30cm x 30cm | 1.20 | 1.00 | 1.20 | 1.00 |
| Start/Finish Station BS7-S - connects to lightbar or manual switch and PC using 15M serial leads | 15.84 | 13.20 | 15.84 | 13.20 |
| Photoelectric Lightgate Barrier & Pair of tripods | 60.30 | 50.25 | 60.30 | 50.25 |
| Epson TM-T88 USB Thermal Split time Printer. Amazingly fast Point of Sale Printer. | 18.00 | 15.00 | 18.00 | 15.00 |
| Thermal Printer for use with Printout Station - includes Internal Short life rechargeable battery | 18.00 | 15.00 | 18.00 | 15.00 |
| Thermal Printer Set - includes Thermal Printer & Printout Station, Service/OFF Card, Clear Backup Card, Start Card, Print Results Card | 35.00 | 29.17 | 35.00 | 29.17 |
| Unleaded Petrol Generator and long power lead for external use. Petrol not included. Daily Use | 30.00 | 25.00 | 30.00 | 25.00 |
| Upgrades/Repairs | | | | |
| Warranty Repair | FREE | FREE | FREE | FREE |
| Firmware upgrade for SPORTident BS7/8 stations | 3.10 | 2.58 | 3.10 | 2.58 |
| Inspection Fee - No Fault Found. Includes O-ring Seals (BS7/BS8) & Firmware Upgrade | 10.56 | 8.80 | 10.56 | 8.80 |
| Battery Replacement - BS7/8. Includes O-ring Seals & Firmware Upgrade | 15.76 | 13.13 | 15.76 | 13.13 |
| Removal/Fitting of BSF8 Permanent Metal Baseplate during station inspection/repair | 2.40 | 2.00 | 2.40 | 2.00 |
| Out of Warranty BS7/8 Station Repair. Includes O-ring Seals & Firmware Upgrade | 24.00 | 20.00 | 24.00 | 20.00 |
| Out of Warranty BS7/8 Station Repair & Battery Replacement. Includes O-ring Seals & Firmware Upgrade | 31.20 | 26.00 | 31.20 | 26.00 |
| SI-Card Label (per label for 5 or less) | 1.20 | 1.00 | 1.20 | 1.00 |
| SI-Card Label (per label for 6th or more) | 0.24 | 0.20 | 0.24 | 0.20 |
| Out of Warranty SI-Card Repair or Replacement of Plastic Parts. If not repairable, see SI-Card purchase options above | 13.91 | 11.59 | 13.91 | 11.59 |
| Warranty - Faulty Goods Should Be Returned to SPORTident UK Ltd. | | | | |
| SI-Cards except SIAC: 5 year chip failure warranty. Warranty does not cover breakage of plastic parts | | | | |
| SIAC: 2 years circuitry failure. Warranty does not cover battery and breakage of plastic parts | | | | |
| Control/Masterstations: 2 years warranty. Stations are water-resistant but cannot be immersed in water. Opening a station without prior agreement with SPORTident UK invalidates the warranty. | | | | |
| Printers: 1 year warranty | | | | |
| Consumables (elastic finger loops, wristbands, Yoyos): No warranty | | | | |